




T00FT-5TE09560




\* =  $P < 0.05$  (difference from PBS aerosol)


+ =  $P < 0.05$  (difference from saline/adjuvant exposed to ricin aerosol)

S =  $P < 0.05$  (difference between dgRTA and RTA exposed to ricin aerosol)


3/19



FOUO 5720960






5/19




05960315-13001

6/19




FOUO-SECRET



7/19



8/19



9/19




FOOT 5109550



10/19

M S 1 2 3


200 kD  
116.3 kD  
97.4 kD  
66.3 kD  
55.4 kD  
  
36.5 kD  
31.0 kD  
  
21.5 kD  
  
14.4 kD  
  
6.0 kD  
3.5 kD  
2.5 kD



M - Mark 12 Protein Standard  
S - 2.5- $\mu$ g dgRTA Standard  
1 - 2- $\mu$ l Precipitate of dgRTA  
2 - 5- $\mu$ l Precipitate of dgRTA  
3 - 10- $\mu$ l Precipitate of dgRTA

11/19

M S 1 2 3





M - SeeBlue Pre-Stained Standard  
S - 2.5  $\mu$ g dgRTA Standard  
1 - 2- $\mu$ l Precipitate of dgRTA  
2 - 5- $\mu$ l Precipitate of dgRTA  
3 - 10- $\mu$ l Precipitate of dgRTA

09960315-113001


FOUETT 57209660

12/19 RECD




FOUO 11 SEP 1966



13/19





14/19




15/19




16/19




17/19



18/19



19/19



TOGETHER STEADY